



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/929,703	08/13/2001	Ulrich Friedrich	1000/0252PUS1	8886

60601 7590 03/30/2007  
MCGRATH, GEISSLER, OLDS & RICHARDSON, PLLC  
P.O. BOX 1364  
FAIRFAX, VA 22038-1364

EXAMINER
----------

AGHDAM, FRESHTEH N

ART UNIT	PAPER NUMBER
----------	--------------

2611

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	03/30/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

5K

<b>Office Action Summary</b>	Application No. 09/929,703	Applicant(s) FRIEDRICH, ULRICH	
	Examiner Freshteh N. Aghdam	Art Unit 2611	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 08 January 2007.
- 2a) ☐ This action is FINAL.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-3, 5, 7, 10, 13, 14 and 16-32 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-3, 5, 7, 10, 13, 14 and 16-32 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 August 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Response to Arguments***

Applicant's arguments, see page 13, filed 1/8/2007, with respect to the rejection(s) of claim(s) 1-3, 5, 7, 10, 13-14, 16-32 under U.S.C. 103, in view of Nikula et al have been fully considered and objection to the drawings are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Nikula et al and Dent (US 5,377,183).

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-3, 5, 16-19, 21-22, 24-25, 27-30, and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nikula et al (US 7,031,334), and further in view of Dent (US 5,377,183).

As to claims 1-2, 16-17, 24-25, 28, and 32 Nikula teaches a method for transmitting signals comprising assigning different modulation indices to different information blocks conveying data (Col. 2, Lines 32-47); modulating a signal using phase modulation (Col. 5, Lines 33-36); the modulation indices identifying a type of the conveyed data based on an amplitude of the amplitude modulation index, wherein at

Art Unit: 2611

least one characteristic physical variable of the carrier signal is modulated in accordance with the different modulation indices assigned respectively to the information blocks that are modulated onto the carrier signal to produce a modulated signal (Col. 8, Lines 27-45); the modulated signal is transmitted from the first transceiver to the second transceiver, and the second transceiver evaluates the modulated signal to obtain the conveyed data (Col. 7, Lines 52-63; Col. 8, Lines 27-45); and transmitting the modulated signal from the transmitting device to a receiving device, wherein the receiving device evaluates the modulated signal to obtain the conveyed data (Col. 7, Lines 45-63; Col. 8, Lines 27-45). Nikula is not explicit about the modulation technique is an amplitude modulation technique. However, one of ordinary skill in the art would recognize that it is well known in the art to use an amplitude modulation technique instead of phase modulation technique for modulating different symbols that convey different information (i.e. user information and signaling information) utilizing a type of amplitude modulation technique (such as QPSK or QAM), wherein QAM is the addition of amplitude modulation to multi-level PSK (phase shift keying) and has the advantage of encoding information into variations of amplitude and as the result it has the advantage of robustness to noise as it is evidenced by Dent (Col. 10, Lines 20-24 and 43-55). Therefore, it would have been obvious to one of ordinary skill in the art to utilize a type of amplitude modulation technique such as QAM or QPSK to modulate different symbols conveying information as taught by Dent in order to take advantage of their robustness to noise.

As to claims 3, 5, 27, and 29, Nikula further teaches transmitting successive blocks (Col. 2, Lines 32-47; Abstract).

As to claims 18-19, Nikula teaches assigning different modulation indices to different information symbols and as the result identifying the type of information symbol whether it is a data or a control signal in the receiving device (Col. 3, Lines 13-20; Col. 7, Lines 44-51). Nikula is not explicit about the third and fourth modulation indices being assigned to the third and fourth information symbols. However, one of ordinary skill in the art would realize to assign third and fourth modulation indices to third and fourth information symbols in order to distinguish the type of information signal that is received in the receiving device and recovering the transmitted signal accordingly. Therefore, it would have been obvious to one of ordinary skill in the art to assign third and fourth modulation indices to third and fourth information symbols for the reason stated above.

As to claim 21, Nikula teaches transmitting information symbols utilizing different modulation schemes and modulation depths (i.e. indices; Col. 3, Lines 13-20; Col. 7, Lines 44-51).

As to claim 22, Nikula teaches that the different modulation indices respectively have predefined modulation index values that differ from one another by predefined differences that can be detected and differentiated by the receiving device (Col. 7, Lines 45-67; Col. 8, Lines 27-45).

As to claim 30, Nikula teaches that at least one of said information symbols represents a control signal (i.e. signaling information) and further comprising receiving the control signal in the modulated information signal in the receiving device and

Art Unit: 2611

controlling the receiving device responsively to the control signal (Col. 1, Lines 16-25; Col. 2, Lines 25-47).

Claims 7 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nikula et al and Dent, further in view of J.P. Fonseka (IEEE ELECTRONICS LETTERS 2<sup>nd</sup> September 1999 Vol. 35 No.18).

As to claims 7 and 20, Nikula teaches transmitting information symbols utilizing different modulation schemes and modulation depths (i.e. indices; Col. 3, Lines 13-20; Col. 7, Lines 44-51). Nikula and Dent are not explicit about transmitting information symbols by varying the period lengths of modulation periods differ from one another to define additional information symbols. Fonseka teaches varying both the modulation index and the symbol duration simultaneously (Pg. 1517, Col. 2; Pg. 1518, Col. 1; Table 1 and 2). Therefore, it would have been obvious to one of ordinary skill in the art to combine the teaching of Fonseka with Nikula and Dent in order to improve signal recovery by varying both modulation index and the symbol duration simultaneously (Pg. 1518, Col. 2).

Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nikula et al, and Dent, further in view of Fujiwara (US 4,794,649).

As to claim 10, Nikula teaches transmitting signaling information along with the data information to a receiving device (Fig. 1-2). Nikula and Dent are not explicit about the signaling information being a clock signal. Fujiwara teaches in order to establish

Art Unit: 2611

synchronization, a signaling information (i.e. clock signal) is transmitted from the transmitting device to the receiving device (Col. 6, Lines 13-15). Therefore, it would have been obvious to one of ordinary skill in the art to combine the teaching of Fujiwara with Nikula and Dent in order to control the receiver both in time and carrier frequency with the stream of synchronization symbols to increase accuracy of the communication system (Col. 1, Lines 65-67).

Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nikula et al and Dent, further in view of Kim et al (US 6,493,333).

As to claim 13, Nikula teaches a method for transmitting signals comprising assigning different modulation indices to different information blocks conveying data (Col. 2, Lines 32-47); modulating a signal using phase modulation (Col. 5, Lines 33-36); the modulation indices identifying a type of the conveyed data based on an amplitude of the amplitude modulation index, wherein at least one characteristic physical variable of the carrier signal is modulated in accordance with the different modulation indices assigned respectively to the information blocks that are modulated onto the carrier signal to produce a modulated signal, wherein at least one of the information blocks includes data for a control signal (i.e. signaling information) and the modulation index of the control signal is smaller than the modulation index of a data signal formed by others of the information blocks (Col. 8, Lines 27-45); the modulated signal is transmitted from the first transceiver to the second transceiver, and the second transceiver evaluates the modulated signal to obtain the conveyed data (Col. 7, Lines 52-63; Col. 8, Lines 27-45);

and transmitting the modulated signal from the transmitting device to a receiving device, wherein the receiving device evaluates the modulated signal to obtain the conveyed data (Col. 7, Lines 45-63; Col. 8, Lines 27-45). Nikula is not explicit about the modulation technique is an amplitude modulation technique. However, one of ordinary skill in the art would recognize that it is well known in the art to use an amplitude modulation technique instead of phase modulation technique for modulating different symbols that convey different information (i.e. user information and signaling information) utilizing a type of amplitude modulation technique (such as QPSK or QAM), wherein QAM is the addition of amplitude modulation to multi-level PSK (phase shift keying) and has the advantage of encoding information into variations of amplitude and as the result it has the advantage of robustness to noise as it is evidenced by Dent (Col. 10, Lines 20-24 and 43-55). Therefore, it would have been obvious to one of ordinary skill in the art to utilize a type of amplitude modulation technique such as QAM or QPSK to modulate different symbols conveying information as taught by Dent in order to take advantage of their robustness to noise. Nikula and Dent are not explicit about the signaling information data is used for setting a data rate. Kim discloses that the signaling information includes data rate information (Col. 2, Lines 5-10). Therefore, it would have been obvious to one of ordinary skill in the art to combine the teaching of Kim with Nikula and Dent in order to control data transmission and improving the communication system performance by employing the signaling information (Col. 1, Lines 66-67).

Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nikula et al, Dent, and Fujiwara, further in view of Ricci et al (US 6,463,039).

As to claims 14, Nikula, Dent, and Fujiwara teach all the subject matter claimed in claim 10, except for the second transceiver has no electronic circuit for clock generation and is a passive transponder that uses the clock signal for local clocking. Ricci teaches providing clock signal and power to the passive transponder (Col. 9, Lines 66 and 67; Col. 10, Lines 1-3). Therefore, it would have been obvious to one of ordinary skill in the art to combine the teaching of Ricci with Nikula, Dent, and Fujiwara in order to provide clock signal to the passive transponder for synchronization purposes and enhance system performance accordingly.

Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nikula et al and Dent, and further in view of Ricci et al.

As to claims 31, Nikula and Dent teach all the subject matter claimed in claim 30, except for the second transceiver has no electronic circuit for clock generation and is a passive transponder that uses the clock signal for local clocking. Ricci teaches providing clock signal and power to the passive transponder (Col. 9, Lines 66 and 67; Col. 10, Lines 1-3). Therefore, it would have been obvious to one of ordinary skill in the art to combine the teaching of Ricci with Nikula and Dent in order to provide clock signal to the passive transponder for synchronization purposes and enhance system performance accordingly.

Claim 26 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nikula et al and Dent, further in view of Landolsi (US 6,570,842).

As to claim 26, Nikula and Dent teach all the subject matter claimed in claim 16, except for the modulation index being defined as the ratio of the maximum amplitude and a consistent amplitude modulation swing of the respective information signal. Landolsi defines the amplitude modulation index as the ratio of the maximum amplitude and a consistent amplitude modulation swing of the information signal (Col. 7, Lines 20-25). Therefore, it would have been obvious to one of ordinary skill in the art to combine the teaching of Landolsi with Nikula and Dent in order to compute the modulation indices.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Freshteh N. Aghdam whose telephone number is (571) 272-6037. The examiner can normally be reached on Monday through Friday 9:00-5:30 pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh Fan can be reached on (571) 272-3042. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Freshteh Aghdam  
Examiner  
Art Unit 2611

March 20, 2007

  
**KEVIN BURD**  
**PRIMARY EXAMINER**